



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: MANGANESE BRASS WITH LEAD

Type: MM58; CuZn40Mn2; CW720R; CuZn40Mn1Pb1 MM59; CW723R; ŁMc58-2, CuZn40Mn1Pb; CZ136; CuZn40Mn1,5;

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: alloy used in machining – especially on machines, for the production of the machine parts, for the fittings, valves, bolts and nuts, in refrigeration and air conditioning.

Uses advised against: not determined.

1.3 Details of the supplier of the safety data sheet

Manufacturer: Walcownia Metali „Dziedzice” S.A.

Address: ul. Kaniowska 3, 43-502 Czechowice-Dziedzice, Poland

Telephone/Fax number: +48 32 714 30 00

Product information: sekretariat@walcownia.com.pl, www.walcownia.com.pl

E-mail address for a competent person responsible for SDS: biuro@theta-doradztwo.pl

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Product is not classified as hazardous for human life or health.

2.2 Label elements

Hazard pictograms and signal words

None.

Hazard statements

None.

Precautionary statements

None.

2.3 Other hazards

Lead in the metallic form is not classified as dangerous. However, there is a danger of lead poisoning in its processing. Lead compounds such as oxides and salts have toxic and mutagenic effects, may accumulate in the body and impair fertility. Components do not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation REACH.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

3.2 Mixtures

Product characteristic

Chemical composition of the alloy [%]				
Zn	Pb	Mn	Fe	Cu
37-42	0,0-2,0	0,4-2,0	0,5-1,5	56,5-60,0

Section 4: First aid measures

4.1 Description of first aid measures

General information: at room temperature (except for the dangers of a mechanical nature), alloy in metallic form does not pose risk to human health and life.

Skin contact: usually exposure in this way is not possible. If irritation persists wash the affected skin thoroughly with soap and water. Obtain medical attention if necessary.

Eye contact: usually exposure in this way is not possible. However, if filings/sharp elements get into the eyes, immediately wash out with plenty of water or physiological fluid (0,9% NaCl or 5% glucose) with the eyelid hold wide open. Immediately obtain medical attention.

Ingestion: usually exposure in this way is not possible.

Inhalation: usually exposure in this way is not possible. Take victim to fresh air, if necessary.

4.2 Most important symptoms and effects, both acute and delayed

No reports of effects or critical hazards with normal use of the product.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after a thorough examination of the injured person.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: non-flammable product. Use extinguishing measures that are appropriate to the environment.

Unsuitable extinguishing media: none.

5.2 Special hazards arising from the substance or mixture

During combustion toxic gases, vapors, and fumes containing toxic lead compounds may be released. Do not inhale combustion products – it can be dangerous for health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Use personal protective equipment.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify the appropriate emergency services.

6.3 Methods and material for containment and cleaning up

Collect the product mechanically to labeled waste containers or reuse it.



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

6.4 Reference to other sections

Appropriate conduct with waste product – section 13. Appropriate personal protective equipment – section 8.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Before break and after work wash hands carefully. See also section 8.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, clean and covered place. Do not store with the products, that can react with an alloy, e.g. acids, bases. Protect from weather.

7.3 Specific end use(s)

No information about the applications other than listed in subsection 1.2.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Product does not contain any components with occupational exposure limit values at working place in Community.

Please check any national occupational exposure limit values in your country.

8.2. Exposure controls

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke whilst handling the material. Before break and after work wash hands thoroughly.

Hand and body protection

Use skin protection measures appropriate to the thermal, chemical or mechanical hazards.

Eye/face protection

In case of risk of eye contamination wear tight-fitting goggles.

Respiratory protection

Not required in normal conditions of use.

Personal protective equipment must meet requirements of directive 89/686/CE. Employer is obliged to ensure equipment adequate to activities carried out, with quality demands, cleaning and maintenance.

Environmental exposure controls

Avoid release to the environment, do not allow to enter the sewage system. Any emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

physical state:	solid
colour:	yellow
odour:	odourless
odour threshold:	not determined
pH:	not applicable
melting point/freezing point:	880-920°C
initial boiling point and boiling range:	not determined
flash point:	not applicable
evaporation rate:	not determined
flammability (solid, gas):	not flammable
upper/lower flammability or explosive limits:	not applicable
vapour pressure:	not applicable



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

relative vapour density:	not determined
vapour density:	not determined
density:	ca. 8,4 g/cm ³
solubility(ies):	insoluble in water
partition coefficient: n-octanol/water:	not determined
auto-ignition temperature:	not applicable
decomposition temperature:	not determined
explosive properties:	not displayed
oxidising properties:	not displayed
viscosity:	not applicable

- 9.2 Other information
No additional data.

Section 10: Stability and reactivity

10.1 Reactivity

Product is reactive; reacts with oxidants, peroxides, acids and bases.

10.2 Chemical stability

Product stable under normal conditions of usage and storage.

10.3 Possibility of hazardous reactions

In contact with acids and bases reacts with liberation of hydrogen or nitrogen oxides (reaction with nitric acid).

10.4 Conditions to avoid

Moisture.

10.5 Incompatible materials

Strong oxidants, bromine, chlorine trifluoride, copper nitrate, ammonium nitrate, sodium and potassium peroxide, hydrogen peroxide, sodium nitride, chlorine, acids, bases.

10.6 Hazardous decomposition products

None.

Section 11: Toxicological information

11.1 Information on toxicological effects

Acute component toxicity

Lead

TCL₀ (inhalation, man) 0,01 mg/m³

TDL₀ (oral, rat) 790-1140 mg/kg

Lead compounds damage the peripheral and central nervous system and cause anemia, mainly due to inhibition of synthesis of hemoglobin red blood cells. Lead accumulates in the body, mainly in the bones, as well as in the kidney and other tissues. Acute symptoms of poisoning may occur after a few days of exposure to high concentrations of dust or fumes in excess of the airborne limit values. Symptoms of exposure include abdominal pain, diarrhea followed by constipation, loss of appetite, metallic taste in the mouth, nausea, vomiting, fatigue, insomnia, muscle weakness, joint pain, irritability, headache, dizziness, increased blood pressure. May occur anemia, kidney damage, liver and female gonads and central nervous system. Lead compounds cause severe irritation and hypersensitivity of respiratory tract, shortness of breath, short breath and asthma symptoms. There is a danger of cumulative effects.

Toxicity of product

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Section 12: Ecological information

12.1 Toxicity

No specific toxicity test results. This product is not classified as dangerous for the environment. However, lead compounds such as oxides and salts are toxic for aquatic organisms.

12.2 Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Danger of cumulative effects in aquatic organisms.

12.4 Mobility in soil

Not mobile in soil and aquatic environment.

12.5 Results of PBT and vPvB assessment

Not determined.

12.6 Other adverse effects

This product has no influence on the global warming or the ozone layer depletion.

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods for the product: disposal in accordance with applicable regulations. Do not remove with household waste. Recycle or reprocess. Waste code should be given at the place of manufacture.

Legal basis: Directive 2008/98/EC, European Parliament and Council Directive 94/62/EC.

Section 14: Transport information

14.1 UN number

Not applicable, product is not classified as hazardous during transport.

14.2 UN proper shipping name

Not applicable.



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

- 14.3 Transport hazard class(es)
Not applicable.
- 14.4 Packing group
Not applicable.
- 14.5 Environmental hazards
Mixture is not classified as dangerous for the environment in accordance with transport regulation.
- 14.6 Special precautions for user
Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste.

Additional information

The product meets the requirements of Regulation 1907/2006/EC (REACH), directive 2002/95/EC (RoHS) and directive 2000/53/EC (End-of life vehicles).

15.2 Chemical safety assessment

Chemical safety assessment is not required for mixtures.

Section 16: Other information

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo proper workplace training.

Explanation of abbreviations and acronyms

PBT Persistent, Bioaccumulative and Toxic substance
vPvB very Persistent, very Bioaccumulative substance

The product meets the requirements of standards:

MM58 PN-H-87025;
CuZn40Mn2 DIN 17660;
CW720R PN-EN 12163, 121364, 12165, 12166, 12167, 12168, 12449;
CuZn40Mn1Pb1 DIN 17660



Safety Data Sheet

[in accordance with Regulation EC 1907/2006 (REACH) as amended]

Date of update: 13.07.2015
Version: 2.0/EN

MM59 PN-H-87025;
CW723R PN-EN 12163, 121364, 12165, 12166, 12167, 12168, 12449;
CuZn40Mn1Pb PN-EN 12167;
ŁS58-2 GOST 15527;
CZ136 BS 2874;
CuZn40Mn1,5 PN-H-87025; GOST 15527.

Other data

Classification was based on physicochemical tests and data on the content of hazardous substances established using calculation method under the guidance of Regulation 1272/2008/EC (CLP).

Date of update: 13.07.2015

Version: 2.0/EN

Composed by: mgr Monika Gotowalska (on the basis of producer's data).

Safety Data Sheet made by: „THETA” Doradztwo Techniczne

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.